

SPECIES & GRADES

MAPLE



MAPLE ESTATE

Estate is Vintage's cleanest and most consistent in color and grade. Consists of Clear and Select boards. Small tight pin knots and natural characteristics allowed.

Lengths*:

Pioneered®: 12" – 84" Average 38"
Crafted®: 14" – 71" Average 32"
Solid Sawn®: 18" – 71" Average 38"
Northern Solid Sawn™: 15" – 70" Average 36"



MAPLE SELECT-V

Select-V is a combination of Estate and Heritage grades, which consists of approximately 15-30% heartwood and the balance is sapwood. 1/4" sound filled knots with some voids are allowed. Splits, checks and knots on bevel are not part of this grade.

Lengths*:

Pioneered®: 12" – 84" Average 32"
Northern Solid Sawn™: 15" – 70" Average 36"
Crafted®: 14" – 72" Average 36"
U-Loc®: 13" – 46" Fixed Lengths




MAPLE CHARACTER

Unlimited color variation and naturally occurring characteristics. Unlimited sound filled knots (no limitation of size), checks and splits. Some voids are allowed.

Lengths*:

Hand Scraped : 16" – 88" Average 48"
Northern Solid Sawn™: 20" – 84" Average 42"



MAPLE HERITAGE


Consists of mainly common grade boards. Lots of color variation with unlimited knots (2" or larger). Allows for pinholes, checking, worm holes and shorter average lengths. Some voids allowed.

Lengths*:

Pioneered®: 10" – 84" Average 30"

• **Hardness:** 1450 lbs (617 kg) • **Specific Gravity:** 0.72 • **Shrinkage:** Radial 4.8%, Tangential 9.9%, Volumetric 14.7%

RED OAK



RED OAK ESTATE

Estate is Vintage's cleanest and most consistent in color and grade. Consists of Clear and Select boards. Small tight pin knots and natural characteristics allowed.

Lengths*:

Pioneered®: 12" – 84" Average 38"
Crafted®: 14" – 72" Average 32"
Solid Sawn®: 18" – 71" Average 38"
Northern Solid Sawn™: 20" – 84" Average 42"
U-Loc®: 13" – 46" Fixed Lengths
Herringbone: 3 1/4" x 14,68"



RED OAK SELECT-V

Select-V is a combination of Estate and Heritage grades and consists of a blend of heart and sapwood. 1/4" sound filled knots with some voids are allowed. Splits, checks and knots on bevel are not part of this grade..

Lengths*:

Pioneered®: 12" – 84" Average 32"
Northern Solid Sawn™: 15" – 70" Average 36"
Crafted®: 14" – 72" Average 32"
U-Loc®: 13" – 46" Fixed Lengths
Herringbone: 3 1/4" x 14,68"



RED OAK CHARACTER

Unlimited color variation and naturally occurring characteristics. Unlimited sound filled knots (no limitation of size), checks and splits. Some voids are allowed.

Lengths*:

Hand Scraped : 16" – 88" Average 48"
Northern Solid Sawn™: 20" – 84" Average 42"
Herringbone: 5" x 30"



RED OAK HERITAGE

Consists of mainly common grade boards. Lots of color variation with unlimited knots (2" or larger). Allows for pinholes, checking, worm holes and shorter average lengths. Some voids allowed.

Lengths*:

Pioneered®: 10" – 84" Average 30"

• **Hardness:** 1290 lbs (548 kg) • **Specific Gravity:** 0.63 • **Shrinkage:** Radial 3.6%, Tangential 6.7%, Volumetric 12.0%

HICKORY



HICKORY SELECT-V

This grade consists of approximately 30-50% light sapwood and the balance is heartwood. Naturally occurring color variation and characteristics, 1/4" sound filled knots with some voids are allowed. No splits, checks or knots on bevel are allowed.

Lengths*:

Pioneered®: 12" – 84" Average 32"
Solid Sawn®: 18" – 71" Average 38"
U-Loc®: 13" – 46" Fixed Lengths



HICKORY CHARACTER

Unlimited color variation and naturally occurring characteristics. Unlimited sound filled knots (no limitation of size), checks and splits. Some voids are allowed.

Lengths*:

Solid Sawn®: 18" – 84" Average 44"
Hand Scraped : 16" – 88" Average 48"

• **Hardness:** 1820 lbs (774 kg) • **Specific Gravity:** 0.82 • **Shrinkage:** 4.9%, Tangential 8.9%, Volumetric 13.6%

*Lengths and average length may vary by width.

SPECIES & GRADES



WHITE OAK



WHITE OAK SELECT-V

Select-V is a combination of Estate and Heritage grades, and consists of a blend of heart and sapwood. 1/4" sound filled knots with some voids are allowed. Splits, checks and knots on bevel are not part of this grade.

Lengths*:

Northern Solid Sawn™ : 15" – 70" Average 36"
Herringbone: 3 1/4" x 14,68"




WHITE OAK CHARACTER

Unlimited color variation and naturally occurring characteristics. Unlimited sound filled knots (no limitation of size), checks and splits. Some voids are allowed.

Lengths*:

Solid Sawn®: 18" – 84" Average 44"
Hand Scraped: 5" & 7" 16" – 88" Average 48"
Hand Scraped: 10" 24" – 115" Average 58"
Northern Solid Sawn™: 20" – 84" Average 42"
Herringbone: 5" x 30"



RIFT & QUARTER SAWN


Select-V is a combination of Estate and Heritage grades, and consists of a blend of heart and sapwood. 1/4" sound filled knots with some voids are allowed. Splits, checks and knots on bevel are not part of this grade.

Lengths*:

Solid Sawn®, Rift & Quarter Sawn : 14"-78"
Average 38"

• **Hardness:** 1360 lbs (578 kg) • **Specific Gravity:** 0.68 • **Shrinkage:** Radial 4.7%, Tangential 6.0%, Volumetric 16.6%

BLACK WALNUT



BLACK WALNUT SELECT-V

Select-V Walnut allows up to 50% sapwood and considerable color variation. 1/4" sound, filled knots and voids are allowed. Splits, checks and knots on bevel are not part of this grade.

Lengths*:

Northern Solid Sawn™ : 15" – 70" Average 32"



BLACK WALNUT CHARACTER


Unlimited color variation and naturally occurring characteristics. Unlimited sound filled knots (no limitation of size), checks and splits. Some voids are allowed.

Lengths*:

Solid Sawn®: 18" – 78" Average 32"
Northern Solid Sawn™ : 20" – 84" Average 42"

• **Hardness:** 1010 lbs (429 kg) • **Specific Gravity:** 0.51 • **Shrinkage:** Radial 3.7%, Tangential 7.1%, Volumetric 11.5%

ASH



ASH SELECT-V

Select-V is a combination of Estate and Heritage and consists of a blend of heart and sapwood. 1/4" sound filled knots with some voids are allowed. Splits, checks and knots on bevel are not part of this grade.

Lengths*:

Pioneered®: 12 – 84" Average 32"

• **Hardness:** 1320 lbs (561 kg)

• **Specific Gravity:** 0.66

• **Shrinkage:** Radial 4.9% Tangential 7.8%

Volumetric 13.3%

*Lengths and average length may vary by width.