

SPECIES & GRADES

ESTATE

Estate is Vintage's cleanest and most consistent in color and grade. Consists of clear and select boards. Small tight pin knots and natural characteristics allowed.

SELECT-V

Select-V is a combination of estate and heritage grades, and consists of a blend of heart and sapwood. 1/4" sound filled knots with some voids are allowed. Splits, checks are not part of this grade.

CHARACTER

Unlimited color variation and naturally occurring characteristics. Unlimited sound filled knots (no limitation of size), checks and splits. Some voids are allowed.

HERITAGE

Consists of mainly common grade boards. Lots of color variation with unlimited knots (no limitation of size). Allows for pinholes, checking, worm holes and shorter average lengths. Some voids allowed.

MAPLE

- Hardness: 1450 lbs
- Specific Gravity: 0.72
- Shrinkage:
Radial 4.8%
Tangential 9.9%
Volumetric 14.7%



Lengths*:
Pioneered®: 12" – 79" Average 32"
Northern Solid Sawn®: 15" – 70" Average 33"



Lengths*:
Pioneered®: 12" – 79" Average 32"
Northern Solid Sawn®: 15" – 70" Average 33"



Lengths*:
Solid Sawn®: 16" – 84" Average 44"
Northern Solid Sawn®: 20" – 82" Average 42"

RED OAK

- Hardness: 1290 lbs
- Specific Gravity: 0.63
- Shrinkage:
Radial 3.6%
Tangential 6.7%
Volumetric 12.0%



Lengths*:
Pioneered®: 12" – 79" Average 32"
Northern Solid Sawn®: 15" – 70" Average 33"
Northern Solid Sawn®: Herringbone: 3 1/4" x 14.68"



Lengths*:
Pioneered®: 12" – 79" Average 32"
Northern Solid Sawn®: 15" – 70" Average 33"
U-LOC®: 13" – 46" Fixed Lengths
Northern Solid Sawn®: Herringbone: 3 1/4" x 14.68"



Lengths*:
Northern Solid Sawn®: 20" – 82"
Average 42"
Pioneered Sculpted: 12" – 79" Average 32"
Northern Solid Sawn®: Herringbone: 5" x 30"



Lengths*:
Pioneered®: 10" – 79" Average 30"

WHITE OAK

- Hardness: 1360 lbs
- Specific Gravity: 0.68
- Shrinkage:
Radial 4.7%
Tangential 6.0%
Volumetric 16.6%



Lengths*:
Northern Solid Sawn®: 15" – 70" Average 33"
U-LOC®: 13" – 46" Fixed Lengths
Northern Solid Sawn®: Herringbone: 3 1/4" x 14.68"



Lengths*:
Solid Sawn® 5", 7": 16" – 84" Average 44"
Solid Sawn® 8" & 10": 24" – 114" Average 58"
Northern Solid Sawn®: 20" – 82" Average 42"
Northern Solid Sawn®: Herringbone: 5" x 30"

*Lengths and average length may vary by width.



SPECIES & GRADES

ESTATE

Estate is Vintage's cleanest and most consistent in color and grade. Consists of Clear and Select boards. Small tight pin knots and natural characteristics allowed.

SELECT-V

Select-V is a combination of estate and heritage grades, and consists of a blend of heart and sapwood. 1/4" sound filled knots with some voids are allowed. Splits, checks are not part of this grade.

CHARACTER

Unlimited color variation and naturally occurring characteristics. Unlimited sound filled knots (no limitation of size), checks and splits. Some voids are allowed.

HERITAGE

Consists of mainly common grade boards. Lots of color variation with unlimited knots (no limitation of size). Allows for pinholes, checking, worm holes and shorter average lengths. Some voids allowed.

WHITE OAK R&Q AND FUMED

- Hardness: 1360 lbs
- Specific Gravity: 0.68
- Shrinkage: Radial 4.7% Tangential 6.0% Volumetric 16.6%



Lengths*: Solid Sawm[®], Rift & Quarter Sawn : 14" - 82" Average 44"



Lengths*: Solid Sawm[®] : 16" - 84" Average 44"

HICKORY

- Hardness: 1820 lbs
- Specific Gravity: 0.82
- Shrinkage: Radial 4.9% Tangential 8.9% Volumetric 13.6%



Lengths*: Pioneered[®] : 12" - 79" Average 32" Solid Sawm[®] : 16" - 78" Average 38"



Lengths*: Solid Sawm[®] : 16" - 84" Average 44"

BLACK WALNUT

- Hardness: 1010 lbs
- Specific Gravity: 0.51
- Shrinkage: Radial 3.7% Tangential 7.1% Volumetric 11.5%



Lengths*: Solid Sawm[®]: 16" - 84" Average 44" Northern Solid Sawm[®]: 20" - 82" Average 42"



*Lengths and average length may vary by width. 19/07