


Pioneered® solid hardwood floors come in a wide selection of colors, species and widths. Including 3 beautiful textures, Smooth Wire Brushed and Sculpted. Longer average lengths make for easy installation and a more elegant look.



Maple Windsor

SMOOTH

HICKORY

| | |
|-------------|----------|
| NATURAL | SENTINEL |
| GOBI | OLYMPUS |
| CHIVAS | NILE |
| OLD MISSION | MOOREA |
| WINCHESTER | MESQUITE |

MAPLE


| | |
|-----------|---------|
| NATURAL | NOVA |
| SAHARA | NEBULA |
| MOROCCO | SLATE |
| WINDSOR | PEGASUS |
| REMBRANDT | GODIVA |
| BERKLEY | TABOO |

RED OAK

| | |
|----------|-----------|
| NATURAL | TITANIUM |
| OASIS | OPHELIA |
| ANGORA | GRYPHON |
| BAJA | CHARIOT |
| GALLIANO | DOVER |
| BARISTA | BERKSHIRE |
| KALHUA | PEWTER |
| MOCHA | COCOA |



PIONEERED®



WIRE BRUSHED

RED OAK

| | |
|----------|----------|
| NATURAL | TITANIUM |
| OASIS | TITAN |
| ANGORA | OPHELIA |
| BARISTA | GRYPHON |
| HILLSIDE | ZAMBEZI |
| DOVER | PEWTER |

SCULPTED

RED OAK

| | |
|-----------|-----------|
| NATURAL | OPHELIA |
| OASIS | RIDGELINE |
| ANGORA | DOVER |
| BARISTA | HARBOR |
| SAND DUNE | HIGHLAND |
| HILLSIDE | PEWTER |

BLADE

OAK

| | |
|----------|-----------|
| TITANIUM | BARISTA |
| HILLSIDE | RIDGELINE |
| | PEWTER |



PIONEERED® SPECIFICATIONS

| | |
|------------------------------|--|
| Product Type: | 3/4" (19 mm) Pioneerred® Solid Hardwood |
| Product Species: | Maple, Hickory, Red Oak |
| Product Width: | Maple: 2 1/4" (57 mm), 3 1/4" (82 mm), 4 1/4" (107 mm) Hickory: 2 1/4" (57 mm), 3 1/4" (82 mm), 4 1/4" (107 mm) Red Oak: 2 1/4" (57 mm), 3 1/4" (82 mm), 4 1/4" (107 mm) *Refer to Availability Chart for details |
| Product Lengths and Grade: | Estate: 12" – 79" Average 32"* (305 mm - 2007 mm Average 813) Select-V: 12" – 79" Average 32"* (305 mm - 2007 mm Average 813) Character: 12" – 79" Average 32"* (305 mm - 2007 mm Average 813) * Lengths and average length may vary by width. |
| Product Gloss: | Pearl is standard on smooth UV Urethane oil is available on some Wire Brushed UVF is standard on Wire Brushed and Sculpted |
| Product Grade: | Estate – Cleanest and most consistent color grade. Small tight pin knots and natural characteristics allowed. Select-V – Combination of Estate and Heritage grades, and consists of a blend of heart and sapwood. 1/4" sound filled knots with some voids are allowed. Splits, checks and knots on bevel are not part of this grade. Character - Unlimited color variation and naturally occurring characteristics, sound filled knots (no limitation of size), checks and splits. Some voids are allowed. |
| Product Construction: | Microbevel on 4 sides |
| Installation Method: | Install only on plywood that is on ground level or above, Nail down |
| Structural Warranty: | Lifetime |
| Radiant Heat: | Not Approved on Radiant Heat |
| Lifetime Stability Warranty: | Relative Humidity must be maintained between 35– 55% |
| Residential Warranty: | 35-Year Wear Warranty for Pearl and UVF 10–Year Wear Warranty for UV Urethane Oil |
| Commercial Warranty: | 3-Year Wear Warranty for Pearl and UVF 1–Year Limited Wear Warranty for UV Urethane Oil |

