


Vintage's Canadian made Northern Solid Sawm® is the next generation of high performing structured hardwood floors. Backed by the best stability warranty in the business and trend hitting colors, textures and widths will provide you with a lifetime of satisfaction.



Wire Brushed Red Oak Angora


SMOOTH				WIRE BRUSHED			
MAPLE		RED OAK	WHITE OAK	RED OAK		WHITE OAK	RIFT & QTR
NATURAL	NOVA	TITANIUM*	ORACLE*	OASIS*	TITAN*	ATLANTIS*	ATLANTIS
SAHARA	NEBULA	OASIS*	ATHENA*	ANGORA*	OPHELIA*	ORION*	NAUTILUS
OXFORD	REMBRANDT	ANGORA*	NAUTILUS*	NATURAL*	PEWTER*	PHARAOH*	NATURAL
PEGASUS	GODIVA	BAJA*	APOLLO*	KAHLUA*	DOVER*	ZEUS*	ORION
WINDSOR	BERKLEY	NATURAL*	NATURAL*	GRYPHON*	CHARIOT*	GOHAM*	ZEUS
MOROCCO	TABOO	KAHLUA*	BAUHAUS*	ZAMBEZI*	BERKSHIRE*	BUCKINGHAM*	GOHAM
RED OAK		MOCHA*	GABON*		COCOA*	BAROQUE*	
OPHELIA*	GRYPHON*						
		DOVER*	BUCKINGHAM*				
COCOA*	PEWTER*						
BLACK WALNUT		CHARIOT*	GOHAM*				
NATURAL	MEDIEVAL	BERKSHIRE*	BAROQUE*				

* Herringbone: These species and colors are available in Herringbone. Refer to the Herringbone specification sheet for more information.

Vintage's Canadian made Northern Solid Sawn® is the next generation of high performing structured hardwood floors. Backed by the best stability warranty in the business and trend hitting colors, textures and widths will provide you with a lifetime of satisfaction.

SCULPTED

HICKORY




GOBI



NATURAL




CHIVAS




OLYMPUS




NILE



OLD MISSION



WINCHESTER



MOOREA



MESQUITE


MAPLE




NOVA




SAHARA




NATURAL




PEGASUS



NEBULA



BERKLEY




REMBRANDT

RED OAK




OASIS




ANGORA




SAND DUNE




NATURAL




HILLSIDE




RIDGELINE



DOVER



HARBOR




PEWTER




HIGHLAND


WHITE OAK



ATHENA




APOLLO




NAUTILUS




NATURAL




BAUHAUS



BUCKINGHAM




GOTHAM




BAROQUE

WALNUT



NATURAL



MEDIEVAL




NORTHERN SOLID SAWN[®] SPECIFICATIONS

Product Type:
Product Species:
Product Grade & Width:

*Availability of widths will vary by grade and color. Refer to availability chart for more information.

Structured Northern Solid Sawn[®]
 Black Walnut, Hickory, Maple, Red Oak, White Oak
 Estate : 3 1/4" (84 mm), 4 3/8" (112 mm)
 Select-V : 3 1/4" (84 mm), 4 3/8" (112 mm), 5" (127 mm)
 Character : 5" (127 mm), 6 1/2" (184 mm)
 Herringbone Estate and Select-V:
 3-1/4" (84 mm) x 14.68 (372 mm)
 Character: 5" (127 mm) x 30" (762 mm)




Product Lengths:

Select-V: 15" - 70" Average 33" (373 mm - 1778 mm Ave. 838 mm)
 Estate: 15" - 70" Average 33" (381 mm - 1778 mm Ave. 838 mm)
 Character: 20" - 82" Average 42" (511 mm - 2086 mm Ave. 1067 mm)

Product Gloss:

Smooth Black Walnut, Maple and Red Oak: Pearl
 Smooth White Oak: Pearl and UV Urethane Oil*
 Wire Brushed Red Oak and White Oak: UV Urethane Oil and UVF*
 Sculpted Black Walnut, Maple, Red Oak and White Oak: UVF
 * Refer to availability chart for specific colors




Consult Vintage's radiant heat compliance information available at www.vintageflooring.com

Product Grade:

Estate: Best grade available
 Select-V: Color variation and naturally occurring characteristics, 1/4" sound filled knots, some voids are allowed. Splits, checks and knots on bevel are not part of this grade.
 Character: Unlimited color variation and naturally occurring characteristics, sound filled knots (no limitation in knot size), checks and splits. Some voids are allowed.

Relative Humidity Chart



3/4" (19 mm) Structured

Product Thickness:

3/4" 19 mm) 3 layer structured

Face Lamella:


4mm

Core Layer:

13 mm SPF Qtr. Sawn

Back Layer:

2 mm Hardwood veneer



Installation Method:

Nail, Glue or Float
 Herringbone: Glue

Sanding

Can be professionally sanded 3-4 times

Radiant Heat:

Approved on Radiant Heat

Structural Warranty:

Lifetime

Lifetime Stability Warranty:

Relative humidity must be maintained between 25-70%

Residential Warranty:

25-Year for Pearl and UVF. 10-Year for UV Urethane Oil.

Commercial Warranty:

3-Year for Pearl and UVF. 1-Year for UV Urethane Oil.

