


Pioneered® solid hardwood floors come in a wide selections of colors, species and widths. Including 4 beautiful textures, Smooth Wire Brushed, Sculpted and Blade. Longer average lengths make for easy installation and a more elegant look.



Maple Pegasus

SMOOTH

HICKORY

NATURAL	SENTINEL
GOBI	OLYMPUS
CHIVAS	NILE
OLD MISSION	MOOREA
WINCHESTER	MESQUITE

MAPLE

NATURAL	NOVA
SAHARA	NEBULA
BERKLEY	PEGASUS
REMBRANDT	GODIVA

RED OAK

NATURAL	TITANIUM
OASIS	OPHELIA
ANGORA	GRYPHON
BAJA	CHARIOT
GALLIANO	DOVER
BARISTA	BERKSHIRE
KALHUA	PEWTER
MOCHA	COCOA

# PIONEERED® SPECIFICATIONS


**Product Type:** 3/4" (19 mm) Pioneer® Solid Hardwood

**Product Species:** Maple, Hickory, Red Oak

**Product Width:** Maple: 2 1/4" (57 mm), 3 1/4" (82 mm), 4 1/4" (107 mm)  
 Hickory: 2 1/4" (57 mm), 3 1/4" (82 mm), 4 1/4" (107 mm)  
 Red Oak: 2 1/4" (57 mm), 3 1/4" (82 mm), 4 1/4" (107 mm)




**Product Lengths and Grade:** Estate: 12" – 79" Average 32"\* (305 mm - 2007 mm Average 813)  
 Select-V: 12" – 79" Average 32"\* (305 mm - 2007 mm Average 813)  
 Character: 12" – 79" Average 32"\* (305 mm - 2007 mm Average 813)  
 \* Lengths and average length may vary by width.



**Product Gloss:** Pearl is standard on smooth  
 UV Urethane oil is available on some Wire Brushed  
 UVF is standard on Wire Brushed, Sculpted and Blade

**Product Grade:** Estate – Cleanest and most consistent color grade.  
 Small tight pin knots and natural characteristics allowed.



Select-V – Combination of Estate and Heritage grades, and consists of a blend of heart and sapwood. 1/4" sound filled knots with some voids are allowed. Splits, checks and knots on bevel are not part of this grade.

Character - Unlimited color variation and naturally occurring characteristics, sound filled knots (no limitation of size), checks and splits. Some voids are allowed.

**Product Construction:** Microbevel on 4 sides

**Installation Method:** Install only on plywood that is on ground level or above, Nail down

**Structural Warranty:** Lifetime


**Radiant Heat:** Not Approved on Radiant Heat

**Lifetime Stability Warranty:** Relative Humidity must be maintained between 35– 55%

**Residential Warranty:** 35-Year Wear Warranty for Pearl and UVF  
 10-Year Wear Warranty for UV Urethane Oil

**Commercial Warranty:** 3-Year Wear Warranty for Pearl and UVF  
 1-Year Limited Wear Warranty for UV Urethane Oil





WIRE BRUSHED

RED OAK

NATURAL	TITANIUM
OASIS	TITAN
ANGORA	OPHELIA
BARISTA	GRYPHON
HILLSIDE	ZAMBEZI
DOVER	PEWTER

SCULPTED

RED OAK

NATURAL	OPHELIA
OASIS	RIDGELINE
ANGORA	DOVER
BARISTA	HARBOR
SAND DUNE	HIGHLAND
HILLSIDE	PEWTER

BLADE

OAK

TITANIUM	BARISTA
HILLSIDE	RIDGELINE
	PEWTER