


ARTISTRY IN WOOD



Sculpted

A modern twist on traditional hand scraped hardwood floors, made in Canada from premium oak hardwood. "Sculpting" the wood adds depth, detail, and practicality for daily use. Another great choice to help hide everyday wear.





Sculpted

C O L O R S














Practical

Sculpted to add depth details and practicality.





Hand Scraped


Hand scraped hardwood has a distinct look and old world feel that goes back hundreds of years. Each board of Vintage's hand scraped hardwood flooring is unique, scraped and crafted by hand then stamped on the back by the craftsman. Hand scraped floors tend to require less maintenance than smooth finish floors and help hide everyday wear. They are contoured to accentuate the natural beauty and character of each specie.






HandScraped

SPECIES COLORS



Authentic

Every board is one-of-kind, scraped by hand, for a completely unique floor.





Wire Brushed

COLLECTION


Not to be confused with Hand Scraped floors,
Wire Brushed floors are another unique
and beautiful option for a textured floor.
During manufacturing, these floors go through
a rotating wire brush that removes the sapwood
or softer spring grain of the wood, highlighting
the natural richness of each species. This brushing
technique combined with a UV Urethane Oil finish
(synthetic oil) is a perfect mix, as the UV Urethane Oil
enhances the wood, preserving the natural look
and feel of the brushing. These floors tend
to hide dents and scratches extremely well
and everyday wear is blended in. Wire brushing
is very conducive to achieving 2 tone floors,
giving you a European style and look.





Wire Brushed

SPECIES & COLORS



Defined

Wire Brushed hardwood brings definition and highlights the natural richness of each species and grain pattern.





Etched

C O L L E C T I O N


Vintage's proprietary "Etching" process allows the surface of the wood to become more durable and helps mask regular wear and tear. Etching offers a look that will complement modern, old world, and literally all design styles you can dream up.






Etched

SPECIES & COLORS















Durable

This one of a kind etching process, similar to wire brushing, provides some durability to minimally grained species like Maple and softer species like Black Walnut.





Smooth

C O L L E C T I O N


Transform your home with elegant
Smooth prefinished Hardwood Flooring
by Vintage. Our hardwood has unmatched quality,
beauty and durability. With the smallest
micro-v bevel in the industry, Vintage's
smooth floors are easier to keep clean
and looking beautiful for years. With 5 species,
4 grades, 7 widths and over 90 colors
to choose from, you can easily find your style.





Smooth

SPECIES & COLORS




Classic

Smooth floors have a classic elegance that naturally lends itself to many species.

Available in various species, grades, widths and colors, the possibilities are endless.



21



Not all colors are available in all species and grades. Please consult your authorized Vintage dealer for color options. Color swatches may not be an accurate representation of actual color. Contact a Vintage dealer to view sample.


20

Fumed

C O L L E C T I O N

A beautiful, stable and unique floor which looks a lot like Black Walnut, is created when White Oak goes through a fuming process and brings out the natural tannins of the wood. This process allows the color to penetrate throughout the lamella, therefore, scratches and dents blend in more. Some of Vintage's products such as Excalibur and Spartacus are then stained, creating amazing tones of gray and caramel.





Fumed

SPECIES & COLORS















Smoked

Color penetrates throughout the lamella.





Rift & Quarter Sawn

C O L L E C T I O N

Rift & Quarter Sawn wood is cut at a specific angle to increase stability and minimize warping. Rift Sawn wood has a linear look and the Quarter Sawn wood has an amazing ribbon-like effect and some flecking. These cuts of wood are combined since they compliment each other to create a beautiful, stable floor.





Rift & Quarter Sawn

SPECIES & COLORS



















Not all colors are available in all species and grades. Please consult your authorized Vintage dealer for color options. Color swatches may not be an accurate representation of actual color. Contact a Vintage dealer to view sample.

Dramatic

These cuts of wood are combined since they compliment each other to create a beautiful, stable floor.





Hand Scraped Herringbone

SPECIES & COLORS

















Product Grade, widths & lengths: White Oak: Solid Sawn®, Character 5" x 30" (127 mm x 762 mm)

Wire Brushed Herringbone

COLLECTION

& C O L O R SSPECIES



Product Grade, widths & lengths: Red Oak: Northern Solid Sawn® Select-V 3 1/4" x 14.68" (84 mm x 373 mm), Character 5" x 30" (127 mm x 762 mm) White Oak: Northern Solid Sawn® Select-V 3 1/4" x 14.68" (84 mm x 373 mm), Character 5" x 30" (127 mm x 762 mm)


Architectural

Herringbone is a classic geometrical pattern made from indivudual strips of hardwood and assembled to create the typical V shape.



Smooth Herringbone

SPECIES & COLORS



Product Grade, widths & lengths: Red Oak: Northern Solid Sawn® Estate 3 1/4" x 14.68" (84 mm x 373 mm) White Oak: Northern Solid Sawn® Select-V 3 1/4" x 14.68" (84 mm x 373 mm) Character 5" x 30" (127 mm x 762 mm)

Floor structures

At Vintage we are committed to manufacturing a superior quality product that will not only add beauty, character and elegance to any room but will fit your lifestyle. We offer five types of flooring: Pioneered® 3/4" Solid, Crafted® 9/16" Engineered for high humidity areas, high performance Solid Sawn® and Northern Solid Sawn® 3/4" structured, which is our most stable floor, and our Do-it-yourself easy to install, U-LOC® 7/16". It is vital to maintain proper humidity levels according to the structure you select to minimize expansion and contraction in your floor and maximize the life of your hardwood flooring.



* LENGTHS

4 mm Sawn wear lamella

Hardwood back

Select-V: 18" - 71" Average 38" (457 mm - 1803 mm Average 965 mm)

Character: 18" - 84" Average 44" (457 mm - 2134 mm Average 1118 mm)

Rift & Qtr Sawn: 14" - 78" Average 38" (356 mm - 1981 mm Average 965 mm)

Hand Scraped Character: 16" - 87" Average 48" (406 mm - 2210 mm Average 1219 mm

Hand Scraped Character 10": 24" - 115" Average 58" (609 mm - 2921 mm Average 1473 mm

4 mm Sawn wear lamella


Qtr. Sawn SPF finger core

Hardwood back

* LENGTHS

Superior lengths: 14" - 87"* (356 mm - 2210 mm)

4 species, 3 textures, 4 widths, 2 grades and over 80 colors to choose from



3/4" (19 mm) Structured

GLUE NAIL FLOAT

Consult Vintage's radiant heat compliance information available at www.vintageflooring.com

YES ¬

YES -

Smallest "micro v" in the industry: Means smaller seams and less dirt build-up

3/4" (19 mm) Solid hardwood

Superior lengths: 10" - 79"* (254 mm - 2007 mm)

4 species, 3 textures, 3 widths, 3 grades and over 50 colors to choose from

Install over a 5/8" plywood or 3/4" OSB subfloor



3/4" (19 mm) Solid



SOLID SAWN Structured



* LENGTHS

Estate: 12" - 79" Average 32" (305 mm - 2007 mm Average 813 mm)

Select-V: 12" - 79" Average 32" (305 mm - 2007 mm Average 813 mm)

Heritage: 10" - 79" Average 30"

(254 mm - 2007 mm Average 762 mm)

* Lengths will vary by widths. See Vintage Dealer for more information.





Relative Humidity Chart

40-60%

9/16" (13.7 mm) Engineered



U-LOC® Locking

Relative Humidity Chart



3/4" (19 mm) Structured

FLOAT

Consult Vintage's radiant heat compliance information available at www.vintageflooring.com

ABOVE GROUND LEVEL

GROUND LEVEL

BELOW GROUND LEVEL

RADIANT HEAT

Estate: 15" - 70" Average 33" (381 mm - 1778 mm Average 838 mm) Select-V: 15" - 70" Average 33" (381 mm - 1778 mm Average 838 mm)

Character: 20" - 83" Average 42" (508 mm - 2108 mm Average 1067 mm)

Superior lengths: 15" - 83"* (381 mm - 2108 mm)

4 species, 3 textures, 3 widths, 3 grades

and over 45 colors to choose from



Smallest "micro v" in the industry: Means smaller seams and less dirt build-up

2 mm Sawn face lamella

HDF core

Hardwood back

Easy to install locking system

Fixed lengths: 14" – 46"* (350 mm - 1172 mm)

3 species and 10 colors to choose from

Install over concrete with Vintage's Premium underpad

* LENGTHS

Estate and Select-V: 13.77", 17.32", 23.07", 28.8", 32.36", 46.14" (350 mm, 440 mm, 585 mm, 732 mm, 822 mm, 1172 mm)

Relative Humidity Chart

GLUE



7/16" (11 mm) U-LOC



ABOVE GROUND LEVEL YES ¬ GROUND LEVEL YES -YES ¬ **BELOW GROUND LEVEL** RADIANT HEAT

Consult Vintage's radiant heat compliance information available at www.vintageflooring.com

33

3 mm Sawn wear lamella Multi-ply baltic birch core Hardwood back Superior lengths: 14" - 72"* (356 mm - 1829 mm) 2 species, 2 widths, 2 grades and over 20 colors to choose from

CRAFTED®

Engineered

* LENGTHS

Estate: 14" - 72" Average 38" (356 mm - 1829 mm Average 965 mm)

Select-V: 14" - 72" Average 38" (356 mm - 1829 mm Average 965 mm)



FLOAT

Consult Vintage's radiant heat compliance information available at www.vintageflooring.com

ABOVE GROUND LEVEL

GROUND LEVEL

BELOW GROUND LEVEL

RADIANT HEAT

YES ¬

YES ¬

YES ¬

Grades

MORE VARIETY, LONGER LENGTHS, LOCALLY SOURCED

Estate





Estate is Vintage's cleanest and most consistent in color grade. Consists of clear and select boards. Small tight pin knots and natural characteristics allowed.

Select-V











Select-V is a combination of estate and heritage grades, and consists of a blend of heart and sapwood. χ'' sound filled knots with some voids are allowed. Splits, checks and knots on bevel are not part of this grade.

Character











Unlimited color variation and naturally occuring characteristics. Unlimited sound filled knots (no limitation of size), checks and splits. Some voids are allowed.

Heritage





Consists of mainly common grade boards. Lots of color variation with unlimited knots (2" of larger). Allows for pinholes, checking, worm holes and shorter average lengths. Some voids allowed.

Species

MAXIMUM CHOICE, FLEXIBILITY AND VALUE



Maple

Hardness: 1450 Available in grades:

Estate, Select-V, Character and Heritage

- · Sapwood is pale to creamy white
- Heartwood is creamy white to light reddish brown
- Closed subdued grain has a uniform texture; occasionally quilted, fiddleback, curly or bird's eye figuring is found



Red Oak

Hardness: 1290 Available in grades:

Estate, Select-V, Character and Heritage

- · Sapwood is white to light brown
- Heartwood is pinkish reddish brown
- Mostly straight-grained with a coarse texture



Ash

Hardness: 1320

Available in grade: Select-V

- Sapwood is creamy white
- Heartwood is light tan to dark brown
- Bold, straight, moderately open grain with occasional wavy figuring



Black Walnut

Hardness: 1010 Available in grades:

Select-V and Character

Hickory

Hardness: 1820

- · Sapwood is nearly white to tan
- · Heartwood ranges from a deep, rich dark brown to a purplish black
- Grain is mostly straight and open, but some boards can have burled or curly grain

Available in grades: Select-V and Character

- · Sapwood is white to cream
- · Heartwood is tan to reddish
- Grain is closed with moderate definition and texture



White Oak

Hardness: 1360 Available in grades: Select-V and Character

- · Sapwood is white to cream
- Heartwood is light brown with some boards having a pinkish tint or a slight grayish cast
- Grain is open with occasional swirls, crotches and burls



White Oak **Rift & Quarter Sawn**

Hardness: 1360

Available in grade: Select-V

- · Sapwood is white to cream
- Heartwood is light brown with some boards having a pinkish tint or a slight grayish cast
- Straight grained with a fine uniform, smooth and satiny finish



White Oak Fumed

Hardness: 1360

Available in grade: Character

- Sapwood is tan to light brown, strip sap is cream to tan
- Heartwood is light brown to dark brown
- Grain is open with occasional swirls, crotches and burls

35

Gloss Levels

ULTRA MATTE TO SEMI-GLOSS, EASY CARE AND MAINTENANCE

SEMI-GLOSS

Traditional Semi-Gloss finish is the most reflective finish and is only offered on smooth surfaces. This gloss tends to be more formal.

Semi-Gloss is offered on all Pioneered®, Crafted® and selected Northern Solid Sawn® products.

PEARL

A modern low gloss finish that helps to hide everyday wear and tear such as scratches and dents.

Pearl is offered on all Pioneered®, Crafted®, Hand Scraped, wide plank Solid Sawn®, Northern Solid Sawn® and U-LOC® products.

ARMOUR-KOTE

Vintage's Semi-Gloss and Pearl comes with 9 coats of polyurethane, with Aluminum Oxide added for strength and durability.

25 YEARS residential wear warranty

3 YFARS commercial wear warranty

UV URETHANE OIL


A European feel of an oiled finish, without the maintenance. The lowest gloss level is excellent for high traffic areas. UV Urethane Oil (synthetic urethane oil) is standard on Wire Brushed, Etched and several Solid Sawn®, Northern Solid Sawn® & Hand Scraped products.

Vintage's UV Urethane Oil finish (synthetic urethane) uses ground breaking technology to provide a look that mimics oxidative penetrating oil, yet offers some attributes of a urethane finish, with some repair characteristics of an oil finish.

10 **YEARS** residential wear warranty

YEAR commercial wear warranty

SPECIES HARDNESS CHART



Consider the hardness of the species you select as some species may be more adaptable for high traffic areas.

Accessories

MATCHING TRIMS. EASY MAINTENANCE AND CLEANING TOOLS

TRIMS

Reducers, nosings, bi-level reducers and t-moldings are also available in a variety of colors and species to complete your Vintage hardwood floor.



Engineered

Nosing

T-Molding

Engineered Reducer



Nosing

Solid Reducer



Reducer

U-LOC Nosing



MATCHABLE MOLDINGS

Matchable moldings and vents provide the best possible match for all of Vintage's textured floors by using Vintage's actual flooring.



Matchable Euro Nosing

Reducer







T-Molding



Matchable

MAINTENANCE & REPAIR

Touch up sticks, stain and refresher Oil



Wood stain

Transition

Penetrating water-based stain formulated to reduce overlap and gives you the added convenience of water cleanup. Once dry, any sealer may be applied.



Innovative, waterborne maintenance and refresher for your Vintage UV Urethane Oiled floor. Solvent-free and soap free, easy to use.



Touch-up kit

Touch ups are guick and easy with the Vintage repair kit. Markers and fil-stiks are used to fill in nicks and scratches. Use matching top coat if required. Available in all standard Vintage colors.

CLEANING

Prefinished hardwood cleaning system

Kit includes washable microfiber mop head and 700 ml bottle of cleaner. Cleaner is made of biodegradable natural essential oils. Leaves no streaks or residue. Formulated for prefinished hardwood floors and is safe for families, pets and the environment.



Replacement mop cover



Cleaning kit

Warranty

All Pioneered® Solid, Crafted® Engineered, Solid Sawn® Structured,
Northern Solid Sawn® Structured and U-LOC® have a lifetime Structural
and Stability warranty as long as relative humidity ranges are maintained
as per warranty of product

LIFETIME stability warranty

LIFETIME structural warranty

Pearl and Semi-Gloss Finishes

25 YEARS residential wear warranty

3 YEARS commercial wear warranty


UV Urethane Oil Finish

10 YEARS residential wear warranty

1 YEAR commercial wear warranty

See warranty brochure for more information.
Consult your authorized Vintage dealer or our website for complete warranty information

RELATIVE HUMIDITY STABILITY CHART



Naturally Green

THE VINTAGE COMMITMENT

The Vintage Commitment... to manufacture a superior quality, naturally green product with the best value, surpassed by none in the industry.

Yours to enjoy for a lifetime.

Using state-of-the art technology, our specialized team of wood experts continuously strives to offer our customers the best quality product and finish in the market. Rigorous quality control measures and continuous improvements to our manufacturing process are undertaken to ensure our systems meet the toughest standards. Our Pearl and Semi Gloss floors are finished with our specially formulated Armour-Kote® aluminum oxide finish, guaranteed to deliver 25 years of lasting protection and beauty.

All Vintage stains, pigments and dyes are waterborne, heavy-metal and formaldehyde free. Sealers and topcoats are 99% VOC free.

Vintage ensures manufacturing is in compliance with all applicable laws in order to minimize harmful effects of manufacturing on the environment. We comply with the Lacey-Act to ensure all of our domestic and exotic wood species being imported and exported are protected. In compliance with this act, Vintage supplies an import/export declaration with each shipment. Our Pioneered® structure offers three grades of FSC® certified Maple and Red Oak which is available in 27 colors, 3 grades and 3 widths.





Look for FSC® certified products





The mark of responsible forestry



Vintage Hardwood Flooring 409 Evans Ave., Toronto, ON M8Z 1K8

T.: 416 252-0962 TOLL FREE: 877 256-0231

Visit vintageflooring.com







